

DT300 DELTACHEM



DELTACHEM OVERALLS WITH HOOD - 3B TYPE - TAPED SEAMS - SINGLE-USE

Ref. DT300



Product specifications

Overall with three-sided elasticated hood. Type 3B. Non woven Deltachem. Zip fastening under double flap. Double elastic for thumb. Elasticated around the head, waist, cuffs and ankles. Individual airtight pack.

DELTACHEM nonwoven 5 layers.
SMS with double outer chemical barrier 82 g/m².

COLOUR

SIZE

Product Use - Risks



Biological chemical particles



Antistatic



Agriculture / Green areas



Heavy industry



Light industry



Hygiene environment

Product's highlights & user's benefits



DELTACHEM

Enhanced protection against chemicals

DELTACHEM

No risk of lint



3-part hood

Supports head movement for increased comfort



Waterproof seams

Decontamination work



Closure with double flap

Total water-proofing



Double thumb loops

Good hold of the glove on the hand



Elasticated ankles

More comfort



Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 13688:2013 General requirements for protective clothing.



EN14605:2005+A1:2009 Performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections.

TYPE 3B: Protection against liquid chemicals + biological protection - Type 3B (jets)

TYPE 4B: Protection against liquid chemicals (mists) - Type 4B



EN ISO 13982-1:2004+A1:2010 Protective clothing for use against solid particulates - Type 5 clothing

TYPE 5B: Protection against dust (asbestos) + biological protection Type 5B



EN13034:2005+A1:2009 Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals (Type 6 equipment)

TYPE 6B: Limited protection against liquid chemicals + biological protection Type 6B



EN14126:2003+AC:2004 Protective clothing - Performance requirements and tests methods for protective clothing against infective agents



EN1073-2:2002 Protective clothing against radioactive contamination. Requirements and test methods for non-ventilated protective clothing against particulate radioactive contamination.

CLASS 1: Radioactivité - Facteur de protection 5 - Classe 1



EN1149-5:2018 Electrostatic properties - Part 5: Material performance and design requirements