



PRODUCT NUMBER: 2095020
POWERCOAT® 950-20 NEOFIT

Protection against a wide range of chemical products (detergents, some solvents, acids and bases).

Honeywell

Overview

Reference Number

2095020

Product Type

Gloves

Range

Chemical Protection

Line

Heavy chemical

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Agriculture
- Automotive and Part Manufacturer
- Building and Construction
- Chemical Industries
- Industrial Cleaning
- Maintenance
- Petro-chemical
- Water treatment
- Wood Industries

Product Use

Protection against a wide range of chemical products (detergents, some solvents, acids and bases).

Features & Benefits

Feature

Black neoprene Unsupported glove

Cotton flocked interior

Diamond finish

Benefit

COMFORT

Neoprene offers high flexibility

The cotton flocked interior provides the user with greater comfort and makes it easier to slip in the glove.

Its diamond finish provides a better grip in a damp environment.

RESISTANCE

Neoprene provides chemical and mechanical resistance.
 It resists to acids, bases and solvents as well as industrial adhesives.
 It is suitable for a wide range of chemicals.

SAFETY

Category III glove for constant quality.
 The cuff helps to protect a large part of the forearm.

Technical Description

Description

CE CATEGORY : III Irreversible risks
 In accordance with standards :
 EN 420-2003 EEC Basic standard
 EN 388-2003 Mechanical risks
 EN 374-2003 Chemical risks

CHARACTERISTICS :

Unsupported polypropylene glove
 Cotton flock inside
 Diamond-pattern finish

Product Technology

Dipped Gloves

Glove/liner color

Black

Coating Color

neoprene and cotton

Length

33 cm

Thickness

0.72 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	1
Puncture resistance	0

EN 374-3 Resistance to

Resistance to permeation by chemicals	AKL
---------------------------------------	-----

Packaging Label

Tagging

CE HONEYWELL
 2095020 XX
 EN 420
 EN 388 : 3110
 EN 374-3 : AKL

Certifications

EC Category PPE

3

EC Certificate Number

0075/797/162/12/08/0487

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/12/08/0487

Additional Information

User Manual

UI 104

User Information Sheet

104

Maintenance

Storage Information

Individual packaging.

Minimum sale packaging 10 pairs.

Boxes of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.